

VELA-SVR-EP9-2U



Key Features

- ◆ 5th Gen AMD EPYC 9335 processor – 32 cores, 64 threads.
- ◆ Flexible PCIe expansion with 2x PCIe Gen 3 x8 or 1x PCIe x8 & 2x PCIe x4 slots.
- ◆ ECC memory support for reliable 24/7 operation.
- ◆ Configurable networking options for standard or high-bandwidth connectivity.

IMPULSE EMBEDDED LIMITED

Unit 1, Beata Road, Newcastle-under-Lyme, Staffordshire, United Kingdom, ST5 7UT

Tel: +44 (0)1782 337 800 Fax: +44 (0)1782 337 801 Email: sales@impulse-embedded.co.uk

Website: www.impulse-embedded.co.uk

System	
Chassis Form Factor	2U
CPU	AMD EPYC 9335 32 Core 64 Thread 128MB Cache, 210W TDP, Socket SP5
CPU Cooler	LGA6096 210W
Motherboard	ASMB-831 AMD EPYC 9005/9004 LGA 6096 Server Motherboard
Memory	6x 288-pin DDR5 ECC/Registered Memory up to 576GB
Computer Power Supply	500W Bronze ATX PSU

I/O		Storage, Expansion & Management	
USB (External)	4x USB3.2 Gen 1 (Type-A), 2x USB2.0 (Type-A)	Internal Storage	2x 2.5" Drive Bay
Serial Ports	-	Expansion	5x PCIe Gen 5 (x16), 2x PCIe Gen5 (x8)
LAN	2x 10Gigabit Ethernet (RJ45), 1x Gigabit with IPMI	External Drive Bays	4x SATA/SAS 3.5"/2.5" Hotswap bays
Display	1x VGA	RAID, vPRO, AMT & TPM	-


Mechanical, Environmental & Regulatory

Operating Temperature	0°C to +60°C
Dimensions (WxHxD mm)	426.4 x 88.4 x 523.8
Operating System	Windows Server, Linux
Mounting Options	-
Market Certifications	CE, RoHS

Other

Warranty	3 Years Return to Base
----------	------------------------

Dimensions



Models

VELA-SVR-EP9-2U	2U 5th Gen AMD EPYC 9005 Series Rackmount System
VELA-SVR-EP9-2U-9335	2U 5th Gen AMD EPYC 9335 Rackmount System